



Specification Information

Product Code: 101


Product Name: Universal Towel Dispenser

Individual Carton UPC: 624622101008

Individual Carton Shipping Dimensions: 25.4cm H x 27.9cm W x 17.8cm D (10" H x 11" W x 7" D)

Individual Carton Shipping Weight: 2.5 kg (5.5 lbs)

Site Location: Frost 101 universal towel dispenser is an industry standard and can be used in any room or site location. Designed to be practical, durable, and diverse, this dispenser is applicable for many different locations. Some areas for potential use include: schools, restaurants, malls, office buildings, condominiums, fitness facilities, recreation centres, retirement & nursing home communities, etc. This product was engineered to be extremely straightforward and easy to use. The effortless design and durable construction of this product make this an ideal dispenser for end users and property managers.



Features:

- Straightforward design makes this product extremely user friendly and also reduces the risk of product malfunction
- Non-proprietary dispenser which can lead to cost savings for end users and property managers
- Easily accessible front loading for ergonomic service and maintenance
- All doors are hinged with full length stainless steel piano hinges
- Durable construction to help ensure a long lasting product life

Dispensing: This product dispenses towels manually and requires no additional lever or switches to operate. This product is also universal; meaning, the unit is non-proprietary and dispenses paper from standard commercial paper producers. This allows the end user to avoid getting locked into paper supply contracts and should save them money on their janitorial supplies. To load this product, lift the front pivoting door upward and place the desired towels inside the body of the unit. The towels should be positioned with the start of the towel roll or fold is at the bottom of the unit. Once the towels are positioned properly, feed the loose end of the towel through the gap between the unit and the cutting blade. To operate, use the gap located in the center of the cutting blade and pull downward to expose the towels. Once the towels are exposed, pull to the desired amount and tear upward and to one side to release the towels from the unit.

Capacity:

Frost Products Ltd
5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

- This dispenser accepts all single fold and roll towels max 15.4cm (6") diameter and up to 25.4cm (10") long

Materials:

- Front: 20 gauge cold rolled steel with white epoxy powder coated finish
- Sides: 24 gauge cold rolled steel with white epoxy powder coated finish
- Bottom: 22 gauge cold rolled steel with white epoxy powder coated finish
- Back: 24 gauge cold rolled steel with white epoxy powder coated finish
- Cutting Bar: 22 gauge cold rolled steel with black epoxy powder coated finish
- The door of the unit is hinged with full length stainless steel piano hinges

Product Dimensions:

- 24.6cm H x 26.9cm W x 17.5cm D (9.7" H x 10.6" W x 6.9" D)

Product Weight:

- 2.3 kg (5 lbs)

Installation Guidelines: For unrestricted access, bottom of the unit to floor must be between 38.1cm to 121.9cm (15" to 48"). This dispenser comes with four standard combination style screws. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws in the desired mounting surface and attach the dispenser. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Please read and follow any additional installation guidelines provided with the product.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 150


Product Name: Double Roll Toilet Tissue Dispenser

Individual Carton UPC: 624622150006

Individual Carton Shipping Dimensions: 7.6cm H x 29.2cm W x 11.4cm D (3" H x 11 1/2" W x 4 1/2" D)

Individual Carton Shipping Weight: 1.0 kg (2.2 lbs)

Site Location: Frost's 150 double roll toilet tissue dispenser is a high quality, durable and affordable product. This unit is ideal for areas requiring a heavy duty economical dispenser. Typically, the dispenser is used in schools/universities, restaurants, malls, office buildings, condominiums, fitness facilities, and recreation centres. The product's ease of use and maintenance make this unit a cost effective solution.



Features:

- Straightforward design makes this product user friendly and also reduces the risk of product malfunction
- Non-proprietary dispenser which can lead to cost savings for end users and property managers
- Toilet paper holder has concealed self-locking device to prevent pilferage and vandalism
- Front loading for easy service and maintenance
- Tension springs reduce paper consumption and stops free-wheeling

Dispensing: This product dispenses toilet paper manually. This dispenser is also non-proprietary; meaning, this product can dispense paper from any standard commercial paper producer. This allows the end user to avoid getting locked into paper supply contracts and should save them money on their janitorial supplies. The unit is manually operated and can be refilled by pressing the steel flap on the roll of the dispenser. The side of the unit will then pivot open and new tissue can be inserted.

Capacity:

- Frost code 150 will dispense all standard toilet tissue rolls including 10.7cm x 11.4cm (4" x 4 1/2"), 500 sheet rolls
- Capacity of two rolls per unit

Materials:

- The entire unit is all welded construction of 18 gauge steel
- The arms are hinged on hardened steel rivets
- The unit is finished in polished chrome



Specification Information

Product Dimensions:

- 7.0cm H x 27.9cm W x 11.2cm D (2.75" H x 11" W x 4.4" D)

Product Weight:

- 0.9 kg (2 lbs)

Installation Guidelines:

For unrestricted access, roll should be mounted at least 48.3cm (19") above the finished floor. This dispenser comes with two standard combination style screws. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws in the desired mounting surface and attach the dispenser. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 707


Product Name: Manual Liquid Soap or Sanitizer Dispenser

Individual Carton UPC: 624622707019

Individual Carton Shipping Dimensions: 12.7cm W x 25.4cm H x 12.7cm D (5" W x 10" H x 5" D)

Individual Carton Shipping Weight: 0.9kg (2 lbs)

Site Location: Frost's 707 manual liquid soap or sanitizer dispenser is practical, economical, and durable. This unit's all-purpose push type dispensing valve is suitable for easy flowing liquid, lotion soaps, gels, and sanitizers. Typically, these products are used in schools, malls, restaurants, office buildings, recreational facilities, and other commercial properties. For locations requiring a cost efficient liquid soap solution, this dispenser is an ideal choice.



Features:

- The high quality ABS provides a durable and inexpensive option for the end user
- Removable and refillable soap reservoir allows for easy cleaning and maintenance while helping the user to save costs on liquid soap/sanitizer
- Comes with a locking front cover to protect against vandalism and pilferage, key provided
- Completely concealed wall mounting with no visible mounting screws
- Soap/sanitizer indicator window allows staff to quickly see the remaining levels and can plan maintenance accordingly
- Mounted with screws or adhesive (both provided)

Dispensing: Frost's 707 dispenses soap/sanitizer manually by pressing the front lip of the unit toward the mounted surface. This unit dispenses liquid soap at 10-20% solution as well as more viscous synthetic detergents, lotions and antiseptic soaps/sanitizers. This product is also universal; meaning, the unit is non-proprietary and dispenses soap from standard commercial soap/sanitizer suppliers. This allows the end user to avoid getting locked into supply contracts and should save them money on their janitorial supplies. To refill this product, use the provided key to unlock the unit and expose the reservoir. Once unlocked, refill with desired and compatible soap.

Capacity:

- The bulk filled reservoir holds 1 litre (33.8 US oz.) of liquid soap/sanitizer

Frost Products Ltd
5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Materials:

- Robust high quality ABS
- Finished in an attractive white and blue colour scheme

Product Dimensions:

- 11.2cm W x 24.9cm H x 11.2cm D (4.4" W x 9.8 H x 4.4" D)

Product Weight:

- 0.6kg (1.3 lbs)

Installation Guidelines: For unrestricted access, bottom of the unit to floor must be between 38.1cm to 121.9cm (15" to 48"). This dispenser comes with standard combination screws, plugs, and a template. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws and back plate in the desired mounting surface and attach the dispenser. Alternately use adhesive pads on smooth dry surfaces. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Failure to do so may result in serious injury. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge. It is recommended that units be periodically rinsed out with warm water to prevent soap build up that may hinder the performance of the valve. It is also recommended that users avoid harsh chemical cleaners when cleaning the outside of the unit.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 1001-NP Series

Product Name: Stainless Steel 1.5" Diameter Grab Bars

Individual Carton UPC:

1001-NP12" – 624622014100

1001-NP18" – 624622014209

1001-NP24" – 624622014308

1001-NP30" – 624622014407

1001-NP36" – 624622014506

1001-NP42" – 624622014605

1001-NP48" – 624622014704

Individual Carton Shipping Dimensions:

1001-NP12" – 32" L x 7.5" D x 5" H (81.3cm L x 19.1cm D x 12.7cm H)

1001-NP18" – 32" L x 7.5" D x 5" H (81.3cm L x 19.1cm D x 12.7cm H)

1001-NP24" – 32" L x 7.5" D x 5" H (81.3cm L x 19.1cm D x 12.7cm H)

1001-NP30" – 32" L x 7.5" D x 5" H (81.3cm L x 19.1cm D x 12.7cm H)

1001-NP36" – 37" L x 3" D x 3.25" H (94.0cm L x 19.1cm D x 12.7cm H)

1001-NP42" – 43" L x 3" D x 3.25" H (109.2cm L x 19.1cm D x 12.7cm H)

1001-NP48" – 49" L x 3" D x 3.25" H (124.5cm L x 19.1cm D x 12.7cm H)

Individual Carton Shipping

Weight:

1001-NP12" – 1.25lbs (0.6kg)

1001-NP18" – 1.75lbs (0.8kg)


1001-NP24" – 2.25lbs (1.0kg)

1001-NP30" – 2.75lbs (1.2kg)

1001-NP36" – 3.25lbs (1.5kg)

1001-NP42" – 4.00lbs (1.8kg)

1001-NP48" – 4.25lbs (1.9kg)



Site Location: Frost's 1001-NP series stainless steel grab bars offer a brushed and peened finish. These grab bars are stocked in various lengths and have a 1-1/2" diameter. Typically, these units are used in schools/universities, nursing homes, restaurants, malls, office buildings, condominiums, hospitals, recreation centres, and residential properties. The durable construction and high quality stainless steel make this unit a popular choice. The Frost NP grab bar series comply with handicap codes requiring 1-1/2" bar diameter and wall clearance of 1-1/2". Barrier free access specifications may vary depending on jurisdiction.

Features:

- Brushed stainless steel
- Peened grip
- Easy to install snap on flanges with concealed mounting
- Come in a variety of lengths



Specification Information

Materials:

- Snap flange is 12 gauge stainless steel with a full 360 degree bead weld to the 18 gauge stainless tubing. 1-1/2" dia. stainless steel, type 304, peened finish on bar.

Strength and Installation Warning: Frost grab bars that provide 1-1/2" (38mm) clearance from wall can support loads in excess of 900 pounds (408kg) if properly installed. Other grab bar configurations can support loads in excess of 250 pounds (113kg) if properly installed, complying with accessible design for structural strength. All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Product Dimensions:

1001-NP12" – 12"L x 3"D x 3.25"H (30.5cm L x 7.6cm D x 8.3cm H)

1001-NP18" – 18"L x 3"D x 3.25"H (45.7cm L x 7.6cm D x 8.3cm H)

1001-NP24" – 24"L x 3"D x 3.25"H (61.0cm L x 7.6cm D x 8.3cm H)

1001-NP30" – 30"L x 3"D x 3.25"H (76.2cm L x 7.6cm D x 8.3cm H)

1001-NP36" – 36"L x 3"D x 3.25"H (91.4cm L x 7.6cm D x 8.3cm H)

1001-NP42" – 42"L x 3"D x 3.25"H (106.7cm L x 7.6cm D x 8.3cm H)

1001-NP48" – 48"L x 3"D x 3.25"H (121.9cm L x 7.6cm D x 8.3cm H)

Product Weight:

1001-NP12" – 1lbs (0.45kg)

1001-NP18" – 1.5lbs (0.68kg)

1001-NP24" – 2lbs (0.9kg)

1001-NP30" – 2.5lbs (1.13kg)

1001-NP36" – 3lbs (1.3kg)

1001-NP42" – 3.5lbs (1.6kg)

1001-NP48" – 4.0lbs (1.8kg)

Installation Guidelines: All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discoloration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discoloration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 1003-NP Series

Product Name: Stainless Steel 1 1/2" Diameter Grab Bars

Individual Carton UPC: 1003-NP30"x30" – 624622036034, 1003-NP36"x36" – 624622037031

Individual Carton Shipping Dimensions:

1003-NP30"x30" – 32"L x 32"D x 5"H (81.3cm L x 81.3cm D x 12.7cm H)


1003-NP36"x36" – 37"L x 37"D x 5"H (94.0cm L x 91.4cm D x 12.7cm H)

Individual Carton Shipping Weight:

1003-NP30"x30" – 4.75lbs (2.15kg)

1003-NP36"x36" – 5.25lbs (2.38kg)

Site Location: Frost's 1003-NP series stainless steel grab bars offer a brushed and peened finish. These grab bars are stocked in various lengths and have a 1-1/2" diameter. Typically, these units are used in schools/universities, nursing homes, restaurants, malls, office buildings, condominiums, hospitals, recreation centres, and residential properties. The durable construction and high quality stainless steel make this unit a popular choice. The Frost NP grab bar series comply with handicap codes requiring 1-1/2" bar diameter and wall clearance of 1-1/2". Barrier free access specifications may vary depending on jurisdiction.



Features:

- Brushed stainless steel
- Peened grip
- Easy to install snap on flanges with concealed mounting
- 90 degree bend provides horizontal and vertical bar to hold

Materials:

- Snap flange is 12 gauge stainless steel with a full 360 degree bead weld to the 18 gauge stainless tubing. 1-1/2" dia. stainless steel, peened finish on bar.



Specification Information

Strength and Installation Warning: Frost grab bars that provide 1-1/2" (38mm) clearance from wall can support loads in excess of 900 pounds (408kg) if properly installed. Other grab bar configurations can support loads in excess of 250 pounds (113kg) if properly installed, complying with accessible design for structural strength. All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Product Dimensions:

1003-NP30"x30" – 30"L x 30"D x 3.25"H (76.2cm L x 76.2cm D x 8.3cm H)

1003-NP36"x36" – 36"L x 36"D x 3.25"H (91.4cm L x 91.4cm D x 8.3cm H)

Product Weight:

1003-NP30"x30" – 4.5lbs (2.0kg)

1003-NP36"x36" – 5lbs (2.3kg)

Installation Guidelines: All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 941

Product Name: Stock Series Mirrors

Individual Carton UPC:

941-1630 – 60624622941507

941-1824 – 60624622941101

941-1830 – 60624622941200

941-1836 – 60624622941606

941-2430 – 60624622941408

941-2436 – 60624622941309

Individual Carton Shipping Dimensions:

941-1630 – 43.2cm W x 78.7cm H x 5.1cm D (17" W x 31" H x 2" D)

941-1824 – 48.3cm W x 63.5cm H x 5.1cm D (19" W x 25" H x 2" D)

941-1830 – 48.3cm W x 78.7cm H x 5.1cm D (19" W x 31" H x 2" D)

941-1836 – 48.3cm W x 94.0cm H x 5.1cm D (19" W x 37" H x 2" D)

941-2430 – 63.5cm W x 78.7cm H x 5.1cm D (25" W x 31" H x 2" D)

941-2436 – 63.5cm W x 94.0cm H x 5.1cm D (25" W x 37" H x 2" D)

Individual Carton Shipping Weight:

941-1630 – 6.4kg (14 lbs)


941-1824 – 4.5kg (10 lbs)

941-1830 – 6.8kg (15 lbs)

941-1836 – 8.2kg (18 lbs)

941-2430 – 9.1kg (20 lbs)

941-2436 – 10.9kg (24 lbs)



Site Location: Frost code 941 stock series mirrors are high quality and built to last. Each stock series mirror comes with vandal resistant three way concealed fastener mounting making these units ideal for any location. Typically, these mirrors are used in schools/universities, restaurants, malls, airports, office buildings, condominiums, fitness facilities, recreation centres, and other commercial properties. The high quality and durable construction make these mirrors a popular choice.

Features:

- Vandal resistant concealed three way mounting
- Standard float glass (4 mm) with shock resistant primary back
- Stainless steel channel frame provides rigid assembly
- Full galvanized steel panel

Materials:

- Channel frame: one piece 24 gauge stainless steel

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Dimensions:

941-1630 – 40.6cm W x 76.2cm H x 1.3cm D (16" W x 30" H x ½" D)
941-1824 – 45.7cm W x 61.0cm H x 1.3cm D (18" W x 24" H x ½" D)
941-1830 – 45.7cm W x 76.2cm H x 1.3cm D (18" W x 30" H x ½" D)
941-1836 – 45.7cm W x 91.4cm H x 1.3cm D (18" W x 36" H x ½" D)
941-2430 – 61.0cm W x 76.2cm H x 1.3cm D (24" W x 30" H x ½" D)
941-2436 – 61.0cm W x 91.4cm H x 1.3cm D (24" W x 36" H x ½" D)

Product Weight:

941-1630 – 6.4kg (14 lbs)
941-1824 – 4.5kg (10 lbs)
941-1830 – 6.8kg (15 lbs)
941-1836 – 8.2kg (18 lbs)
941-2430 – 9.1kg (20 lbs)
941-2436 – 10.9kg (24 lbs)

Installation Guidelines: Position bottom of the mirror 121.2cm (48") from the floor. Positions may vary depending on size, installation, and other requirements. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Failure to do so may result in serious injury. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. For stainless steel soap dispensers please avoid use of ammonium-based soaps as these can also cause discolouration and/or damage to the dispensers. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Mirror Warranty: Frost Products Ltd is a leading manufacturer of mirrors for commercial and institutional installations. Frost offers vandal resistant channel frame, frameless, and Barrier free tilt designs. We offer standard float glass, tempered glass, laminated glass, and stainless steel face options. All Frost mirrors are covered under our standard complete product warranty which is; If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty.

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.Frostproductsltd.com



Specification Information

Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty. Mirror glass is conforming to GS12GD5A type 1B, guaranteed against silver spoilage for 10 years. Note; on tempered mirrors the tempering process may produce slight distortion in mirror reflection when viewed from a distance. Mirror back plate consists of shock resistant primary back combined with galvanized second back plate and vandal resistant mounting system. All stainless steel face mirrors use 20 ga. XL buff stainless steel reflective surfaces. Cleaning of mirrors is very important. Solid soils such as paint, excess edge sealant, felt buttons, tape, or adhesives should be razor-bladed off. Cleaning solutions should be mild, and preferable not contain ammonia, vinegar, bleaches, or solvents. Cleaning solutions should be used to dampen the wiping cloth. Do not spray directly on mirror. Spraying directly on a mirror can allow material to run down and provide a source of edge contamination. Damaged caused by cleaning solutions are not covered under warranty.



Specification Information

Product Code: 950-4x18


Product Name: Heavy Duty Shelf, 4" Depth, 18" length

Individual Carton UPC: 624622950118

Individual Carton Shipping Dimensions: 50.8cm W x 15.2cm H x 15.2cm D (20" W x 6" H x 6" D)

Individual Carton Shipping Weight: 1.1kg (2.5 lbs)

Site Location: Frost's 950-4x18 heavy duty shelf is extremely durable and practical. Typically, these units are used in schools/universities, restaurants, malls, office buildings, condominiums, fitness facilities, and recreation centres. The durable construction, minimal depth, and high quality stainless steel make this unit a popular choice.



Features:

- Made in Canada with high quality stainless steel
- Ideal for areas requiring 4" ADA maximum wall protrusion specifications
- New rounded corner shelf with safety edges on all protruding sides
- Easy to install and maintain

Materials:

- 22 gauge stainless steel no. 4 brushed finish

Product Dimensions:

- 45.7cm W x 8.1cm H x 9.9cm D (18" W x 3.2" H x 3.9" D)

Product Weight:

- 0.9kg (2 lbs)

Installation Guidelines: Supplied with mounting screws. All mounting screw holes below shelf. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws in the desired mounting surface and attach the unit. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 1138-S


Product Name: Stainless Steel Robe Hook

Individual Carton UPC: 624622113803

Individual Carton Shipping Dimensions: 5.1cm L x 5.1cm W x 5.1cm H (2" L x 2" W x 2" H)

Individual Carton Shipping Weight: 0.22kg (0.5 lbs)

Site Location: Frost's 1138-S surface mounted robe hooks are often specified and designed for use in both commercial and residential settings. Typically, these coat hooks are used in schools/universities, recreation centres, hospitals, fitness facilities, office buildings, airports, and retail locations. This product offers a durable, professional, and easy to maintain solution for storing personal items.



Features:

- Easy to install and maintain
- Made from 16 gauge stainless steel
- Smooth burr-free edges
- Concealed mounting
- Provides clean and professional appearance

Materials:

- 16 gauge stainless steel, type 304 brushed finish

Product Dimensions:

- 5.1cm L x 3.9cm W x 5.1cm H (2" L x 1.6" W x 2" H)

Product Weight:

- 0.2 kg (0.4 lbs)

Installation Guidelines: Screw concealed mounting system: The mounting bracket is attached to the wall with screws at the desired height. The unit is then hooked onto the bracket. When the set screw is tightened the product is firmly secured to the wall. The set screw applies pressure to an inclined surface on the bracket this provides a rattle free and integral mounting of the product. (mounting bracket and screws provided).

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.