



Specification Information

Product Code: 1138-BLK


Product Name: Stainless Steel Robe Hook Matte Black Finish

Individual Carton UPC: 624622113810

Individual Carton Shipping Dimensions: 6.5cm L x 5.5cm W x 3.5cm H (2.5" L x 2.2" W x 1.4" H)

Individual Carton Shipping Weight: 0.15kg (0.33 lbs)

Site Location: Frost's 1138-BLK surface mounted robe hooks offer a modern and professional design. They often specified and designed for use in both commercial and residential settings. Typically, these coat hooks are used in schools/universities, recreation centres, hotels, hospitals, fitness facilities, office buildings, airports, and retail locations. This product offers a durable, professional, and easy to maintain solution for storing personal items.



Features:

- Easy to install and maintain
- Made from 12 gauge stainless steel
- Matte black finish
- Concealed mounting
- Provides clean and professional appearance

Materials:

- 12 gauge stainless steel, type 304
- Matte black finish

Product Dimensions:

- 2.2cm W x 5.0cm D x 4.0cm H (0.9" W x 2" D x 1.6" H)

Product Weight:

- 0.1 kg (0.22 lbs)



Specification Information

Installation Guidelines: Screw concealed mounting system: Remove the mounting bracket with the allen key provided. Attach the mounting bracket to the wall with screws at the desired height. The holder slides onto the mounting bracket and is secured with the allen key and screw. When the set screw is tightened, the product is firmly secured to the wall. The set screw applies pressure to an inclined surface on the bracket this provides a rattle free and integral mounting of the product. (mounting bracket and screws provided).

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 708-BLK


Product Name: Universal Tank Type Liquid Soap Dispenser Matte Black

Individual Carton UPC: 624622708108

Individual Carton Shipping Dimensions: 11.4cm H x 21.6cm W x 13.3cm D (4.5" H x 8.5" W x 5.25" D)

Individual Carton Shipping Weight: 1.1 kg (2.5 lbs)

Site Location: Frost's 708-BLK universal vertically mounted liquid soap dispenser offers a durable and practical solution for high volume areas. Typically, the dispenser is used in schools/universities, restaurants, malls, office buildings, condominiums, fitness facilities, and recreation centres. This product was engineered to be easy to use and maintain without sacrificing the strength needed to last in busy environments.



Features:

- Straightforward design makes this product user friendly and also reduces the risk of product malfunction
- Non-proprietary dispenser which can lead to cost savings for end users and property managers
- Easily accessible refill at the top with keyed filler cap
- Lucite soap level indicator window
- Durable construction of 20 gauge type 304 stainless steel
- Concealed mounting screws

Dispensing: Dispenses liquid soap at 10-20% solution as well as more viscous synthetic detergents, lotions, and antiseptic soaps. We do not recommend any soap types that have an ammonium based surfactant, ie. Ammonium Lauryl Sulfate, or chloride (Cl or NaCl) based solutions. Please discuss with your janitorial supplier as to which type of PH neutral liquid soaps would be appropriate for this product. Prolonged exposure to these harmful chemicals may lead to discolouration and/or corrosion of the stainless steel and are not covered under warranty.

Capacity:

- This dispenser has a 1.2 litre (40 US fl oz) capacity

Materials:

- Front: 20 gauge type 304 stainless steel, matte black finish
- Back: 20 gauge type 304 stainless steel, matte black finish
- Viewing Window: Lucite
- Nozzle: Plastic



Specification Information

Product Dimensions:

- 20.8cm H x 12.2cm W x 9.7cm D (8.2" H x 4.8" W x 3.8" D)

Product Weight:

- 0.9 kg (2 lbs)

Installation Guidelines: For unrestricted access, bottom of the unit to floor must be between 38.1cm to 121.9cm (15" to 48"). This dispenser comes with three standard Phillips style screws and a back plate. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws and back plate in the desired mounting surface and attach the dispenser. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. We recommend that units be periodically rinsed out with warm water to prevent soap build up that may hinder the performance of the valve. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 105-BLK


Product Name: Multifold and “C” Fold Universal Paper Towel Dispenser Matte Black

Individual Carton UPC: 624622105105

Individual Carton Shipping Dimensions: 35.6cm H x 30.5cm W x 12.7cm D (14” H x 12” W x 5” D)

Individual Carton Shipping Weight: 2.2 kg (4.9 lbs)

Site Location: Frost’s 105-BLK multifold or “C” fold universal paper towel dispenser is compact in size and durable enough to withstand commercial usage. Typically, this product is used in Schools/Universities, Hospitals, Restaurants, Service Stations, and Industrial Settings. The product’s ease of use, durability, and slim profile make this a reliable and popular choice.



Features:

- Paper towel opening has a rolled safety edge
- Comes standard with keyed tumbler lock to reduce pilferage
- Front loading for easy service and maintenance
- Canadian made with high quality durable steel

Dispensing: Frost code 105-BLK will dispense multifold or “C” fold paper towels. It is designed to be universal; meaning, the unit is non-proprietary and dispenses paper from standard commercial paper producers. This allows the end user to avoid getting locked into paper supply contracts and should save them money on their janitorial supplies. The unit is manually operated and can be refilled by unlocking the dispenser from the top. The lid will then swing down and new paper can be inserted.

Capacity: Frost 105-BLK universal paper towel dispenser can hold approximately 250 towels. There is additional room for more towels to be added if desired.

Materials:

- Front: one piece 22 gauge steel finished in matte black
- Back: 22 gauge steel finished in matte black
- Bottom: Steel rolled safety edge, black powder coated finish

Product Dimensions:

- 34.0cm H x 27.9cm W x 10.5cm D (13.4” H x 11” W x 4.1” D)

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Weight:

- 2 kg (4.4 lbs)

Installation Guidelines: For unrestricted access, bottom of unit to floor must be between 38.1cm and 121.9cm (15" to 48"). Unit comes with four standard combination style screws. Mark mounting holes against the mounting surface using a pencil and level. Use a screw driver or power drill to drill screws in the desired mounting surface and attach the dispenser. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 1131-DBL-BLK


Product Name: Surface Mounted Double Toilet Paper Holder with Shelf Matte Black

Individual Carton UPC: 624622113117

Individual Carton Shipping Dimensions: 27.0cm L x 11.5cm W x 11.0cm H (10.6" L x 4.5" W x 4.3" H)

Individual Carton Shipping Weight: 0.89kg (2.0 lbs)

Site Location: Frost's 1131-DBL-BLK surface mounted double toilet paper holder with shelf is designed for small spaces in commercial or residential settings. The slender design and matte black finish provide a modern and professional appearance. The added shelf provides useful storage space. Typically, these are installed in hotels, University residences, long term care facilities, and restaurants.



Features:

- Easy to clean and maintain
- Provides professional look
- Easily installed
- Holds two standard rolls
- ADA Complaint

Materials:

- 16 and 20 gauge type 304 stainless steel
- Matte black finish

Product Dimensions:

- 25.7cm L x 10.0 cm H x 10.0cm D (10.1" L x 3.9" H x 3.9" D)

Product Weight:

- 0.8 kg (1.75 lbs)



Specification Information

Installation: Mark holes in the back of the dispenser at desired height on wall. Ensure holes are level. Use anchors and screws provided to attach dispenser to the wall. If installing on a different surface than drywall, use appropriate mounting hardware for the surface type.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.



Specification Information

Product Code: 945-24x36-FT-BLK


Product Name: Fixed Tilt Solid Frame Mirror with Matte Black Frame

Individual Carton UPC: 624622945336

Individual Carton Shipping Dimensions: 66.0cm W x 96.5cm H x 12.7cm D (26" W x 38" H x 5" D)

Individual Carton Shipping Weight: 12.2kg (27 lbs)

Site Location: Frost code 945-24x36-FT-BLK stock series mirrors are high quality and built to last. Typically, these mirrors are used in schools/universities, restaurants, malls, airports, office buildings, condominiums, fitness facilities, recreation centres, and other commercial properties. The high quality and durable construction make these mirrors an ideal choice for any barrier free location.



Features:

- Perfect for any barrier free location
- Vandal resistant concealed mounting
- Polished 5mm float glass
- Guaranteed against silver spoilage for 10 years
- 18 gauge stainless steel frame with welded and polished corners
- Matte black finish on frame

Materials:

- 18 gauge type 304 stainless steel
- Matte black finish on frame
- 5mm polished float glass

Product Dimensions: 61.0cm W x 91.4cm H x 10.2cm D (24" W x 36" H x 4" D)

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Weight: 11.8kg (26 lbs)

Installation Guidelines: Position bottom of the mirror 121.2cm (48") from the floor. Positions may vary depending on size, installation, and other requirements. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Failure to do so may result in serious injury. Please read and follow any additional installation guidelines provided with the products. Screw H bracket onto desired place on the wall using #6 Phillips round-head screw. Place the top of the mirror over the top tabs on the H bracket and slide into place. Secure the bottom H bracket screws until the mirror frame fits over the screws. Use thin screwdriver to screw down until tight.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. For stainless steel soap dispensers please avoid use of ammonium-based soaps as these can also cause discolouration and/or damage to the dispensers. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Mirror Warranty: Frost Products Ltd is a leading manufacturer of mirrors for commercial and institutional installations. Frost offers vandal resistant channel frame, frameless, and Barrier free tilt designs. We offer standard float glass, tempered glass, laminated glass, and stainless steel face options. All Frost mirrors are covered under our standard complete product warranty which is; If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty. Mirror glass is conforming to GS12GD5A type 1B, guaranteed against silver spoilage for 10 years. Note; on tempered mirrors the tempering process may produce slight distortion in mirror reflection when viewed from a distance. Mirror back plate consists of shock resistant primary back combined with galvanized second back plate and vandal resistant mounting system. All stainless steel face mirrors use 20 ga. XL buff stainless steel reflective surfaces. Cleaning of mirrors is very important. Solid soils such as paint, excess edge sealant, felt buttons, tape, or adhesives should be razor-bladed off. Cleaning solutions should be mild, and preferable not contain ammonia, vinegar, bleaches, or solvents. Cleaning solutions should be used to dampen the wiping cloth. Do not spray directly on mirror. Spraying directly on a mirror can allow material to run down and provide a source of edge contamination. Damaged caused by cleaning solutions are not covered under warranty.

Frost Products Ltd
5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Code: 1001-BLK Series

Product Name: Stainless Steel 1.5" Diameter Grab Bars Matte Black

Individual Carton UPC:

1001-BLK-18" – 624622016203

1001-BLK-24" – 624622016302

1001-BLK-36" – 624622016500

Individual Carton Shipping Dimensions:

1001-BLK-18" – 32"L x 7.5"D x 5"H (81.3cm L x 19.1cm D x 12.7cm H)

1001-BLK-24" – 32"L x 7.5"D x 5"H (81.3cm L x 19.1cm D x 12.7cm H)


1001-BLK-36" – 37"L x 3"D x 3.25"H (94.0cm L x 19.1cm D x 12.7cm H)

Individual Carton Shipping Weight:

1001-BLK-18" – 1.75lbs (0.8kg)

1001-BLK-24" – 2.25lbs (1.0kg)

1001-BLK-36" – 3.25lbs (1.5kg)



Site Location: Frost's 1001-BLK- series stainless steel grab bars offer an antimicrobial matte black finish. These grab bars have a 1-1/2" diameter. Typically, these units are used in schools/universities, nursing homes, hotels, restaurants, malls, office buildings, condominiums, hospitals, recreation centres, and residential properties. The durable construction and high quality stainless steel make this unit a popular choice. The Frost BLK grab bar series comply with handicap codes requiring 1-1/2" bar diameter and wall clearance of 1-1/2". Barrier free access specifications may vary depending on jurisdiction.

Features:

- Stainless steel
- Antimicrobial matte black finish
- Easy to install snap on flanges with concealed mounting
- Come in a variety of lengths

Materials:

- Snap flange is 12 gauge stainless steel with a full 360 degree bead weld to the 18 gauge stainless tubing. 1-1/2" dia. stainless steel, type 304, matte black finish.



Specification Information

Strength and Installation Warning: Frost grab bars that provide 1-1/2" (38mm) clearance from wall can support loads in excess of 900 pounds (408kg) if properly installed. Other grab bar configurations can support loads in excess of 250 pounds (113kg) if properly installed, complying with accessible design for structural strength. All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Product Dimensions:

1001-BLK-18" – 18"L x 3"D x 3.25"H (45.7cm L x 7.6cm D x 8.3cm H)

1001-BLK-24" – 24"L x 3"D x 3.25"H (61.0cm L x 7.6cm D x 8.3cm H)

1001-BLK-36" – 36"L x 3"D x 3.25"H (91.4cm L x 7.6cm D x 8.3cm H)

Product Weight:

1001-BLK-18" – 1.5lbs (0.68kg)

1001-BLK-24" – 2lbs (0.9kg)

1001-BLK-36" – 3lbs (1.3kg)

Installation Guidelines: All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Code: 1003-BLK-30x30


Product Name: Stainless Steel 1.5" Diameter Grab Bars Matte Black Finish

Individual Carton UPC: 624622039035

Individual Carton Shipping Dimensions: 39"L x 34"D x 5"H (99.1cm L x 86.4cm D x 12.7cm H)

Individual Carton Shipping Weight: 4.75lbs (2.15kg)

Site Location: Frost's 1003-BLK-30x30 stainless steel grab bars offer an antimicrobial matte black finish. These grab bars have a 1-1/2" diameter. Typically, these units are used in schools/universities, nursing homes, restaurants, malls, office buildings, condominiums, hospitals, recreation centres, and residential properties. The durable construction and high quality stainless steel make this unit a popular choice. The Frost BLK grab bar series comply with handicap codes requiring 1-1/2" bar diameter and wall clearance of 1-1/2". Barrier free access specifications may vary depending on jurisdiction.



Features:

- Stainless steel
- Antimicrobial matte black finish
- Easy to install snap on flanges with concealed mounting
- 90 degree bend provides horizontal and vertical bar to hold

Materials:

- Snap flange is 12 gauge stainless steel with a full 360 degree bead weld to the 18 gauge stainless tubing. 1-1/2" dia. stainless steel, type 304
- Antimicrobial Smooth Matte Black Finish

Strength and Installation Warning: Frost grab bars that provide 1-1/2" (38mm) clearance from wall can support loads in excess of 900 pounds (408kg) if properly installed. Other grab bar configurations can support loads in excess of 250 pounds (113kg) if properly installed, complying with accessible design for structural strength. All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Frost Products Ltd

5276 John Lucas Drive
Burlington, ON, Canada, L7L5Z9

(905) 332-5700
1-800 667-5094

info@frostproductsltd.com
www.frostproductsltd.com



Specification Information

Product Dimensions: 30"L x 30"D x 3.25"H (76.2cm L x 76.2cm D x 8.3cm H)

Product Weight: 4.5lbs (2.0kg)

Installation Guidelines: All grab bars must be installed by qualified trades persons. Installers must consult and comply with local building codes. Mounting hardware and other systems to be determined by contractor and installer pending specific structure, design, and conditions. All installations must be fully inspected and approved by property owners and maintenance personnel prior to bar being put into use. Failure to comply to proper installation procedure will void warranty and may result in malfunctioning or injury.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For stainless steel please do not spray with any product containing bleach, acids, or chlorides, which can be found in many cleaning products such as toilet bowl cleaners. Use of these cleaning solutions may cause discolouration and if used for prolonged periods of time they can eat away at points in the stainless steel. If discolouration occurs, the use of an approved stainless steel cleaner and a firmer scrub pad, such as a Scotch Brite Pad #7447, may remove the markings. Wipe away any debris from the area and gently rub with the pad. Then spray the area with a stainless steel cleaner/polish and rinse and dry. Always wipe with the grain direction for stainless steel products. If a cleaning agent has begun to eat away at the steel on a unit then the unit will likely need to be replaced. The stainless steel that Frost Products uses is of high quality and stainless steel is resistant to rust. However, discolouration that appears to be rust can be caused by cleaning solutions and soaps mentioned above. It is important to discontinue use of any cleaning agent or soap if discolouration begins to occur. Clean off the discolouration as quickly as possible to avoid any permanent damage to the unit. Maintenance staff should be taught how to recognize the signs that they are not using the appropriate cleaning products and how to correctly maintain stainless steel items.

Warranty: If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.